

ELAD

textile parts

REPRESENTANTE NO BRASIL:

T TABATEX
COMÉRCIO E REPRESENTAÇÕES TÊXTEIS



* 2



INDEX

Spare parts suitable for

PRINTING

Printing and coating machines	6
Colour kitchens	18
Steamers	19

STENTER

Artos Babcock	26
Famatex	34
Brückner	40
Krantz	46
Monforts	52
Stentex - Santex - Textima	59
Carpet Stenters	62

SYSTEM VALD. HENRIKSEN

Jigger VH 800 VH 1000 VH 1200	67
-----------------------------------	----

GENERAL PARTS & LABORATORY EQUIPMENT

Roller covering	72
Endless felts and dryer belts	73
Round blades	74
Laboratory	76
Elad specials	78
Shipping	81

PRINTING

ELAD textile parts
is supplying European manufactured high quality spare parts
for machines like:
RD3HD - RD4 - RD8 - CT4 - PD5
Pegasus -RD-DD - HS



PRINTING



SYSTEM STORK



PRINTING

SYSTEM STORK



PRINTING

- COLOUR PUMPS
- HOSES
- SQUEEGE BLADES
- BALL BEARINGS
- THERMOPLAST KNIVES
- CLAMPING HOSES
- T-SCRAPERS
- PRINTING RODS
- LEVEL INDICATORS
- PNEUMATIC COUPLING
- 3-WAY VALVES
- MECHANICAL PUMP SEALES
- PINION
- ROTOR
- DIAPHRAM CYLINDER
- GEAR WHEEL
- MAIN DRIVE MOTOR
- DRYER BELT
- SCREEN HEAD COMPLETE
- GLUE ROLLERS
- SUPPORT ROLLERS
- MAIN DRIVE ROLLER
- SQUEEGEE SUSPENSION
- SPRING
- BAYONET RINGS
- BEARING BUSHES
- WORM & WORMWHEEL
- BRAKES
- REVISIONS SETS
- SLIDING PLATES
- MINISEMI CONTROLLER
- SWITCH GEAR
- GEAR BOXES
- PRINTING BLANKET
- ECO CLEANING BALLS
- AND LOTS MORE




SYSTEM STORK



PRINTING

SYSTEM STORK




PRINTING

SYSTEM STORK




Several parts for the glueing and washing devices. Please let us know your requirements.




PRINTING

SYSTEM STORK



PRINTING

SYSTEM STORK




PRINTING



PRINTING BLADES

roll of 25, 50 or 100 meter
High quality stainless steel
squeegee blade

Available in several
dimensions like:
55 x 0.20 55 x 0.15
50 x 0.20 50 x 0.15
45 x 0.20 45 x 0.15
40 x 0.20 40 x 0.15
35 x 0.15



SQUEEGEE BLADES
MBV - MBGV - MBT - XTR

Airflow Squeegee blade
Available in the print widths;
1280
1620
1850



SLIDING FOIL / PLATE

Produced in high quality synthe-
tics for a long production time.
Available in all versions
Width 200 mm

For printing width
1620, 1850, 2400, 2800 and
3200mm

SYSTEM STORK











Ball bearings
all sizes / repeats

We supply 2 executions:
- USA made quality
- premium Asian quality



STENTERS

 <p>Converged</p>	 <p>Straight</p>
 <p>Black Chungking</p>	 <p>Black-mix</p>
 <p>Grey Calcutta</p>	 <p>White Nylon/ P.A.</p>

STENTERS



Outer diameter 210mm
Rows 3
Trim 42,5mm
Inner diameter 45mm

Version Part number(s)
V2A-0,3mm B18.8049.3001
Stainless steel B18.8493.0000



Outer diameter 210mm
Rows 3
Trim 42,5mm
Inner diameter 45mm

Version Part number
Nylon 6,6 -0,7mm B18.8042.0004



Outer diameter 132mm
Rows 3
Trim 20mm
Inner diameter 45mm
Wire diameter 0,3mm

Version Part number(s)
Brass 759.0132.050/
B18.8049.0007
V2A/St Steel 759.0132.030/
B18.8041.0005

SYSTEM BABCOCK

Outer diameter 206mm
Rows 3
Trim 16mm
Inner diameter 145mm
Shape Converged

Version Part number(s)
Black 751.1120.633
Black mix 751.1120.663
Grey 751.1120.653
White 751.1120.643



Outer diameter 206mm
Rows 3
Trim 16mm
Inner diameter 145mm
Shape Straight

Version Part number(s)
Black 751.1020.633
Black mix 751.1020.663
Grey 751.1020.653
White 751.1020.643



Outer diameter 180mm
Rows 2
Trim 13,5mm
Inner diameter 70mm
Shape Straight
Centre of 6 holes 90mm

Version Part number(s)
Black 751.1118.012
Grey 751.1118.002



STENTERS

SYSTEM BABCOCK



Outer diameter	200mm
Rows	3
Trim	12,5mm
Inner diameter	90mm
Centre of 4 holes	115mm
Version	Part number(s)
Black	751.1020.013
Grey	751.1020.003



Outer diameter	206mm
Rows	3
Trim	16mm
Inner diameter	145mm
Shape	Converged
Version	Part number
White	759.1120.643


CARPET BRUSH




Outer diameter	206mm
Rows	3
Trim	16mm
Inner diameter	140mm
Shape	Converged
Version	Part number(s)
Nylon X3	759.1120.693

CARPET BRUSH

Outer diameter	85mm
Width	58mm
Hardness	55°shore
	Part number
	B63.0528.9000



Outer diameter	190mm
Width	42mm
Hardness	55° shore
	Part number
	B63.0529.9007




- General information to the most used bristle qualities:
- black for sensitive fabrics, where little pressure for pinning on is required
 - grey is preferred when different fabric is on the stenter
 - white when more pressure is required

STENTERS



Spare parts suitable for your stenters.
Looking for a spare part which is not listed?
Please send us a short email with your requirements.

SYSTEM BABCOCK



STENTERS



Pinning wheel
outside diameter 280 mm
180 pins

Part number(s)
B63.0587.1005 - left
B62.0587.2003 - right



Carbon sleeve
34x60x3mm

Part number B00.0038.1898



Sliding blocks in brass

Part number(s)
B31.4002.0003
B31.4003.0002



Spindle nut

SYSTEM BABCOCK



Dimension 86,6x12x3,5mm
Nr of pins 21
Type of pin Nr20x11mm- V3M
Angel of pins 80°
Locking 2x M4

Part number 751.2010.211



Dimension 130x12x3,5mm
Nr of pins 40
Type of pin Nr20x11mm- V3M
Angel of pins 80°
Locking 2x M4
with rib

Part number B52.3235.0000 Left
B52.4040.6000 Right



Dimension 130x12x3,5mm
Nr of pins 39
Type of pin Nr20x11mm- V3M
Angel of pins 80°
Locking 1x M4+2x4,2 mm
with rib

Part number B52.4056.1002 Right
B52.4056.2000 Left



Dimension 120x12x3,5 mm
Locking 2x M4

pins	pin number	angle	part number
14	nr.16x15mm	75°	751.2050.141
28	nr.17x14mm	80°	751.2050.241
29	nr17x16mm	75°	751.2050.291



Dimension 118,6x20x6mm
Nr of pins 28
Type of pin Nr20x14mm V3M
Angel of pins 75°
Locking 1x M4+2x4,2 mm
with 27 recesses

Part number B52.4088.1004

STENTERS

SYSTEM FAMATEX



Outer diameter	201mm
Rows	4
Trim	19.5mm
Inner diameter	140mm
Shape	Straight
Version	Part number(s)
Black	752.1020.134
Grey	752.1020.154



Outer diameter	201mm
Rows	6
Trim	19.5mm
Inner diameter	140mm
Shape	Straight
Version	Part number(s)
Black	752.1020.136
Grey	752.1020.156
White	752.1020.146
Nylon 0.7	752.1020.176
St Steel 0.5	752.1020.186




Outer diameter	195
Inner diameter	155mm
Width	25mm
Hardness	30°
Version	Part number
Grey	876.2008.9480

Outer diameter	201mm
Rows	4
Trim	19.5mm
Inner diameter	140mm
Shape	Converged
Version	Part number
Nylon 0.8mm	752.1120.144



Tooth belt	
Circumference	728mm
Width	32mm
Teeth	47
Part number	B07.6200.4440



Circular knife HSS	
Outer diameter	200 mm
Inner diameter	40 mm
Thickness	2,2 mm
Part number	70.0362.200 B55.4038.3007





Neoprene ring
complete with adapter



Clip Opener B76.2030.5802
Several versions available



Spare parts suitable for your stenters.
Looking for a spare part which is not listed?
Please send us a short email with your requirements.

Quality means value for money!

With over 20 years of experience and a product range of many different types, ELAD is one of the leading suppliers of pinned accessories

- pin plates for all types of stenter frames for stretching and straightening
- pinning wheels for selvedge trimming

A special inquiry?

Please send us the details and we will be glad to check our possibilities.



STENTERS

SYSTEM FAMATEX



Dimension 116x12x3mm
Nr of pins 28
Type of pin Nr20x11mm- V3M
Buttons 28

pins	locking	angle	part number
28	2xM4	70°	752.2015.281/B76.2017.241
28	2xM5	70°	752.2017.281
24	2xM4	80°	752.2024.241 (without buttons)
24	2xM4	80°	752.2050.241 (Pin Nr17x14mm)
28	2xM4	70°	752.2016.281 (Pin Nr 18x14mm)
28	2xM4	70°	752.2018.281 (Pin Nr19x11mm)



Dimension 116x12x3mm
With buttons and fast locking

pins	locking	angle	part number
28	2x5.2mm	70°	752.2010.281/ B76.2017.2467 (Pin Nr 20x11mm)
24	2x5.2mm	80°	752.2052.241 (Pin Nr 17x14mm)
28	2x5.2mm	70°	752.2053.281 (Pin Nr 19x14mm)
28	2x5.2mm	70°	B76.2017.2459 (Pin Nr19x11mm)



Dimension 116x12x3mm
Nr of pins 28
Type of pin Nr20x11mm V3M
Angel of pins 70°
Locking 2x5.2mm

Part number 752.2031.281
fast locking

Dimension 116x20x4mm
Nr of pins 28
Type of pin Nr 19x11mm V3m
Angel of pins 70°
Locking 2x 5.2mm

Part number 752.2045.281
fast locking



Dimension 116x12x3mm
Nr of pins 44
Type of pin Nr22x11mm V3M
Buttons 22
Angel of pins 70°
Locking 2xM4

Part number 752.2026.441



Dimension 116x12x3.5mm
Nr of pins 24
Type of pin Nr17x14mm V3M
Angel of pins 70°
Locking 2x5.2 fast locking with rib

Part number 752.2050.241



STENTERS
SYSTEM BRUCKNER


Outer diameter 85mm
 Rows 2
 Trim 11mm
 Inner diameter 21.5/20mm
 Shape Straight

Version Part number
 Black 753.1008.522



Outer diameter 85mm
 Rows 4
 Trim 17,5mm
 Inner diameter 26mm
 Shape Straight

Version Part number
 Grey 753.1008.554



Outer diameter 201mm
 Rows 4
 Trim 12,5mm
 Inner diameter 140mm
 Shape Straight

Version Part number(s)
 Black 753.1020.114
 Grey 753.1020.104
 White 753.1020.144

Outer diameter 150mm
 Rows 2
 Trim 13mm
 Inner diameter 88mm
 Shape Converged

Version Part number(s)
 Black 753.1115.012
 Black mix 753.1115.062
 Grey 753.1115.002
 Horsehair 753.1115.022
 White 753.1115.042
 St steel(V2a) 753.1115.082



Outer diameter 220mm
 Rows 4
 Trim 19,5mm
 Inner diameter 158mm
 Shape Straight

Version Part number(s)
 Horsehair 753.1022.024
 Black 753.1022.034
 Black mix 753.1020.064
 Grey 753.1022.004




Outer diameter 220mm
 Rows 4
 Trim 19,5mm
 Inner diameter 158mm
 Shape Converged

Version Part number(s)
 Black 753.1122.034
 Black mix 753.1122.064
 Grey 753.1122.054
 White 753.1122.044



STENTERS

SYSTEM BRUCKNER



Outer diameter 200mm
Quality HSS/Titanium
Inner diameter 40mm

Version HSS with titanium coating
Part number(s) 70.0362.204

Outer diameter 132mm
Rows 3
Inner diameter 45/58mm

Version Part number(s)
St Steel (V2a) 759.0132.030
Brass 759.0132.050



Outer diameter 220mm
Rows 112/144mm
Trim 50mm
Inner diameter 16mm

Version Part number(s)
Brass 759.0133.050



Outer diameter 200mm
Quality HSS
Inner diameter 40mm

Version Part number(s)
200mm HSS 70.0362.200





Dimensions 86x12x3,5 mm
Locking 2xM5

pins	pin type	angle	part number
16	Nr19x11mm	80°	753.4020.161/ 90620-004
16	Nr19x11mm	80°	753.4033.161 - Smooth rib
16	Nr19x11mm	80°	753.4034.161/ 70797-030 - Waved rib
16	Nr19x11mm	80°	753.4035.161/ 70619-757 -16 Big buttons
16	Nr17x14mm	80°	753.4038.241
24	Nr19x11mm	80°	753.4038.241
26	Nr19x11mm	70°	753.4037.261

HIGH PRECISION PIN PLATES FOR STENTER FRAMES



Dimensions: 118x15x3,5mm

pins	pin type	angle	locking	part number
20	Nr18x11mm	90°	2xM5	753.4018.201
20	Nr17x14mm	90°	2xM5	753.4019.201
34	Nr20x11mm	90°	2x4,2mm	753.4010.341- 71747-477 Rib
36	Nr20x11mm	90°	2xM5	753.4016.361- 70060-765
36	Nr20x11mm	90°	2x4,2mm	753.4015.361- 70054-905
36	Nr20x11mm	80°	2xM5	753.4017.361

Dimension 57x35x4mm
Nr of pins 12
Angel of pins 80°
Locking 2x M5

Part number
Nr18x11mm BR.70054-841
Nr18x13mm 753.4060.121
Nr18x12mm 753.4025.121



Dimension 118x16x3mm
Nr of pins 34
Type of pin Nr20x11mm
Angel of pins 90°
Locking 2xM5

Part number 753.4014.341



Dimension 118x12x3mm
Nr of pins 36
Type of pin Nr20x11mm
Angel of pins 80°

Locking Part number
1xM4+ 753.4013.361 /
2x4mm nop 72253-593

2xM4 753.4012.361



De-pinning wheel
made of aluminum
outer diameter incl. pins 196/189 mm
with 2 x 100 pins

Art. nr. BR-70382-ALU



STENTERS



Outer diameter	188mm
Rows	3
Trim	19mm
Inner diameter	70mm
Shape	converged
Version	Part number(s)
Black	754.1118.833
Grey	754.1118.853
White	754.1118.843



Number of links	36
Trim	10mm
Shape	converged
Length	685mm
Version	Part number(s)
Grey	754.9231.203
PA6.6	754.9231.243



Number of links	43
Trim	10mm
Shape	converged
Length	819mm
Version	Part number(s)
Grey	754.9231.143
PA6.6	754.9231.443

SYSTEM KRANTZ

Outer diameter	75mm
Rows	3
Trim	12,5mm
Inner diameter	26mm
Shape	converged

Version	Part number(s)
Black	754.1107.513
Grey	754.1107.503



Outer diameter	125mm
Rows	5
Trim	20mm
Inner diameter	10.2mm

Version	Part number(s)
PA 6.6 black	754.8223.214

CHAIN CLEANING



KRANTZ DEPINNING



STENTERS



Dimension	77x12x4mm
Angel of pins	80°
Locking	2xM4
Part number	Nr. of pins & pin type
754.2045.141	14 pins 17x14mm
754.2015.161	16 pins 19x13mm
754.2016.141	14 pins 17x14mmV4A



Dimension	79x12x4mm
Angel of pins	75°
Locking	2xM4
Part number	Nr. of pins & pin type
754.2011.211	21 pins 19x13mm
754.2012.111	11 pins 17x14mm
754.2010.211	21 pins 19x13 mm+rib
754.2014.211	21 pins 19x11mm
754.2015.211	21 pins 20x11mm
754.2021.161	15 pins 17x14mm V4A +1 pin nr. 17x9.5mm



Dimension	80,2x25x4mm
Angel of pins	75°
Locking	2xM4
Part number	Nr. of pins & pin type
754.2036.201	19 pins 20x11mm +1 pin 20x9mm
754.2035.201	20 pins 19x13mm

SYSTEM KRANTZ

Dimension 122x12x4mm
Angel of pins 75°

Part number 754.2030.251
25 pins V3M nr. 20x12 mm
locking 2xM4

Part number 754.2031.251
25 pins V3M nr. 19x13mm
locking 1xM4 +2x6.3mm



Dimension 123x25x4mm
Angel of pins 75°

Part number 754.2050.281
28 pins V3M nr. 18x13 mm
locking 2xM4

Part number 754.2051.281
28 pins V3M nr. 18x13mm
locking 1xM4 +2x6.3mm

Part number 754.2052.281
28 pins V3M nr. 20x11mm
locking 2xM4



Dimension 130x12x4mm
Nr of pins 26
Pin type 20x12mm
Angel of pins 75°
Locking 2 x M4

Part number 754.2055.261



We have many different pin plates in our program.
Customer wishes can be produced after drawing or sample.

STENTERS



Circumference 575mm
Width 38mm
Teeth 76

Part number(s) KR0565505



Circumference 575mm
Width 38mm
Thickness 4.5mm
Hardness 75 degrees

Part number(s) KR1006015



ROUND KNIFE
HSS Quality
Inner diameter 40 mm/ 32mm
Available in:

Part number(s) and diameter
70.0362.200 - 200 mm - 40mm
70.0362.250 - 250 mm - 32mm
70.0362.300 - 300 mm - 40mm

SYSTEM KRANTZ

Pin-off protection

Version 6-fingers with spring
Part number(s) KR4562059000 (SK401.0148)

Version 4-fingers with springs
Part number(s) KR4562029003



SLIDING RAILS



We supply all common slid rig rails.
Dimensions:
997 x 40 x 5 mm
997 x 20 x 5 mm
also the rivets are available

STENTERS



Outer diameter	175mm
Rows	3
Trim	15mm
Inner diameter	26/22mm
Shape	converged
Version	Part number(s)
Black	755.1117.513
Black mix	755.1117.563
Grey	755.1117.503
White	755.1117.543



Outer diameter	220mm
Rows	4
Trim	16.5mm
Inner diameter	158/167mm
Shape	converged
Version	Part number(s)
Black	755.1122.034
Black mix	755.1122.064
Grey	755.1122.054
White	755.1122.044



Outer diameter	220mm
Rows	4
Trim	16.5mm
Inner diameter	158/167mm
Shape	straight
Version	Part number(s)
Black	755.1022.034
Black mix	755.1022.064
Grey	755.1022.054
White	755.1022.044

SYSTEM MONFORTS

Outer diameter	280mm
Rows	4
Inner diameter	158/167mm
Shape	straight
Version	Part number(s)
Black	MFT7620532



Outer diameter	60mm
Rows	2
Trim	12.5mm
Inner diameter	6.2mm
Shape	straight
Version	Part number(s)
Black	755.0692.326



Outer diameter	250mm
Trim	11mm
Inner diameter	30mm
Version	Part number(s)
Brass 0.20 mm	755.8223.309

CLIP CLEANING




STENTERS



Outer diameter	185mm
Trim	30mm
Inner diameter	102mm
Version	Part number(s)
St.Steel 0.30mm	755.5018.585
PIN CLEANING	




Diameter	200/206mm
Pins	90 V3M
Pin number	Nr.18x13/3
Angle	75 degrees
Inner diameter	110mm
Locking	8x10mm R67.5mm
Part number(s)	MFT320564
DE-PINNING WHEEL	



Circumference	500mm
Width	30 mm
Teeth	100
Material	Polyurethane
Part number(s)	MFT2625301

SYSTEM MONFORTS

Outer diameter	220mm
Outer body dia	209mm
Roller width	60mm
Hole for hub	90mm
Part number	MFT4290649



as above	
Outer body dia	210 mm
Roller width	68 mm
Locking	4xM5
Part number	MFT2390413

Length	200mm (13x9)
Part numbers	
Graphit strip	MFT1445329
Support 200mm	MFT1144331



Length	170mm (13/8x9)
Part numbers	
Graphit strip	MFT1126610
Support 170mm	MFT0888141





Dimension 115,5x20x6mm
Nr of pins 25
Type of pin Nr.19x13mm
Angel of pins 75°
Locking 1xM4 + 2x4.2mm
Backside 2 buttons 5.8

Part number 755.2015.251
MFT 4622101



Dimension 115,5x20x6mm
Nr of pins 25
Type of pins 75°
Angel of pins Nr.19x13mm
Locking 1x M4
Backside 2 buttons 4.1

Part number 755.2016.251

Dimension 115,5x20x6mm
Nr of pins 25
Type of pin Nr.19x13mm
Angel of pins 75°

Part number 755.2031.251
Locking 2xM4

Part number 755.2030.251
Locking 2xM4

Dimension 115,5x20x6mm
Nr of pins 25
Angel of pins 75°
Locking 2xM4

Part number 755.2035.251
Type of pin Nr.17x13mm

Part number 755.2034.251
Type of pin Nr.18x13mm

Dimension 120x20x3mm
Nr of pins 40
Type of pin Nr20x11mm
Angel of pins 75°
Locking 1xM4
Backside 2 buttons 4.0

Part number 755.2010.401

Part number 755.2010.281
28 pins Nr. 19x13

Dimension 120x20x3mm
Nr of pins 40
Type of pin Nr20x11mm
Angel of pins 75°
Locking 1x M4 + 2x4.1
Backside 2 buttons 5.8

Part number 755.2020.401



STENTERS SYSTEM MONFORTS



Universal brushing ring adapter

We have a wide range of adapters for each brand of stenter.

For those customer who use non-standard brushes we can manufacture a suitable adapter.



With this adapter it's possible to use our standard brushes, this reduces operational costs.



STENTERS SYSTEM STENTEX-SANTEX



Dimension	59x20x4mm
Nr of pins	16
Type of pin	Nr.19x11mm
Angel of pins	80°
Locking	2xM4
Part number	756.2035.161



Dimension	98,2x20x3mm
Nr of pins	30
Type of pin	Nr.20x11mm
Angel of pins	80°
Locking	2x countersunk hole 1x6
Part number	LeftV3M 756.2015.301
	Left V4A 756.2016.301
	Right V3M 756.2020.301
	Right V4A 756.2021.301



Dimension	115,5x20x6mm
Nr of pins	25
Type of pin	Nr.20x13mm
Angel of pins	80°
Locking	2x countersunk hole
Part number	756.2031.251



Dimension	124x20x3mm
Nr of pins	32
Type of pin	Nr.20x12mm
Angel of pins	80°
Locking	8 big buttons 2x countersunk hole
Part number	756.2025.321

STENTERS



Number of links	36
Trim	10mm
Shape	converged
Length	685mm
Version	Part number(s)
Grey	754.9231.203
PA6.6	754.9231.243



Number of links	43
Trim	10mm
Shape	converged
Length	819mm
Version	Part number(s)
Grey	754.9231.143
PA6.6	754.9231.443




Outer diameter	250 mm
Trim	30 mm
Inner diameter	20 mm
Rows	4
Brush	0.20 mm stainless steel
Part number	756.0250.020

SYSTEM STENTEX-SANTEX

Pinning wheel

Outer diameter	259.4/240mm
Inner diameter	18mm
4x2 holes	6.8mm R26mm
4xMS locking	R41mm
4x2 x 29 pins	nr. 17x14,5

Part number 756.0259.232



Circumference	610 mm
Width	60 mm
Part number	756.8106.610

Circumference	575 mm
Width	60 mm
Part number	756.8105.575

Circumference	440mm
Width	60 mm
Part number	756.8106.440



Shrinking roller

Part number 756.5000.801



STENTERS



Outer diameter 205mm
Rows 3
Trim 16mm
Inner diameter = ID
Shape converged

Version Part number(s)
Nylon X3 ID 140 759.1120.693
White ID 145 759.1120.643



Outer diameter 190mm
Rows 3
Trim 30mm
Inner diameter 24mm
Shape straight

Version Part number(s)
PA 6.6 759.5019.073



Outer diameter 167mm
Inner diameter 127mm
Width 20mm
Hardness 50 shore

Version Part number(s)
NBR 759.0870.135

CARPET INDUSTRY



Dimension 120x12x3mm
Type of pin Nr..17x16mm
Angel of pins 75°
Locking 2xM4

Part number 29 pins 751.2020.291
23 pins 751.2020.231



Dimension 77x12x4mm
Nr of pins 11
Type of pin Nr..16x16mm
Angel of pins 75°
Locking 2xM5

Part number 762.2020.111



Dimension 106x16x4mm
Angel of pins 75°
Locking 2xM4

Part number 762.2016.211
21 pins Nr.16x16mm
762.2015.161
16 pins Nr.18x13mm



Dimension 118x15x4mm
Nr of pins 16
Type of pin Nr..14x16mm
Angel of pins 90°
Locking 2xM5

Part number 756.2015.301

STENTERS



Dimension 92x16x4mm
 Nr of pins 19
 Type of pin Nr. 16x14mm
 Angel of pins 75°
 Locking 2xM4
 Part number 762.2010.191



Dimension 78x19x5mm
 Nr of pins 13
 Type of pin Nr. 16x19mm
 Angel of pins 80°
 Locking 2xM4
 Part number 764.2010.130

We supply a large range of cutters and scissors.

The Elad cordless power cutter has a long life battery (9.6V)



High quality roller covering makes a substantial difference in your production. We have different qualities also for the carpet industry. Ask for a quotation!



CARPET INDUSTRY



Wooden accessories for the conventional looms:

- shuttles in many executions
- bobbins and pirns
- leather pickers and buffers
- picking sticks and side levers




Are you missing parts?

We have not listed all our parts. This is only a selection. Please contact us for other parts if not listed.

With a good stock of all essential parts we try to give our customers the best delivery time possible.





Reggianni brushing ring
240 mm diameter

Part number
758.1024.033 - black
758.1024.053 - grey
758.1024.043 - nylon



Water pistol

Ideal for cleaning of drums, mixers, machinery etc. This ergonomic pistol has a brass interior. Is equipped with a high precision nozzle which gives you the full control over the flow, from mist till jet.

Maximum pressure 25 bar
Maximum water temp. 82°C

Hose connection 1/2", 3/4" or 1"
Part number 70.0200.360

SYSTEM VALD. HENRIKSEN JIGGERS

ELAD textile parts produces under own construction a large range of spare parts suitable for system Vald. Henriksen Jiggers
VH 800 - VH 1000 - VH 1200







ROLLER COVERING




In our delivery program we have roller coverings made of synthetic rubber, natural rubber, silicon and PVC.


All qualities are available in various surface finishes, such as a pimpled structure, sand surface, textile-structured, grinded or smooth.

Self-adhesive? No problem. With the exception of some silicon qualities (for which we have special adhesives available), you can obtain all our articles in a self-adhesive version if so required.

We offer tapes for almost every application area!



ENDLESS FELTS AND DRYER BELTS



Conveyor belts, endless felts and more.....

For the printing dryer ELAD supplies a special selected high quality dryer belt. These belts can be recognized on their long life, wide range of applications and flexible edges.

Our standard belt is made of PTFE coated glass fibre with a mesh of 4x4mm. Suitable for a maximum working temperature of 260°. Other belt specifications are also available. For knitted fabrics manufacturing, we supply compacting felts, relax dryerbelts, Teflon® sheets and felt rings.



ROUND KNIVES - CUTTING BLADES




Outer diameter 200mm
Quality HSS
Inner diameter 40mm

Version 200mm HSS Part number(s) 70.0362.200



ROUND KNIFE
HSS Quality

Part number(s) and diameter
70.0362.250 - 250 mm - 32mm
70.0362.300 - 300 mm - 40mm
70.0360.021 - 50 mm



Outer diameter 200mm
Quality HSS/Titanium
Inner diameter 40mm


Version HSS with titanium coating Part number(s) 70.0362.204

ROUND KNIVES - CUTTING BLADES

4-SIDED KNIFE
HSS Quality

Part number(s) and diameter
70.0362.205 - 200 mm - 40 mm

70.0362.206 - 200 mm - 40 mm
with teflon coating



Range of small cutting blades
for various cutting machines

Part number(s) and diameter
70.0360.021 round knife 50 mm
70.0360.001 round knife 60 mm
70.0360.023 10-sided 110 mm
and a lot more.

Ask for a quotation!



SCISSORS

from small to large,
from specials for f.i. the carpet or
quilting industry, or just a standard
scissor for common use in the
textile industry.

The photo is showing just some
examples.





Round sample cutter
for circular samples of 100 cm²
To establish the exact m²
weight of all kind of fabrics.
Complete with 1 cutting plate
and 1 set of knives.

Part number(s)
70.0362.101

Spare set for circular cutter

70.0362.105 - 5 plates + 100 blades 0.1mm
70.0362.106 - 5 plates + 100 blades 0.2mm
70.0362.108 - 5 plates only
70.0362.110 - 100 blades 0.1mm
70.0362.111 - 100 blades 0.2mm
70.0362.112 - 100 blades 0.3mm



Textile markers Dalo and Texpen
Permanent textile marking pens
Stainless steel stip

Texmarker DALO
length 14.5 cm x 2.5 cm dia, 87 gr.
colours: black, yellow, orange

Texmarker TEXPEN
length 11.5 cm x 1.9 cm dia, 41 gr.
colours: black, yellow



ELAD EF35 two-bowl vertical laboratory padder

This laboratory padder can be used as dye- and finishing padder.
Made with the newest CNC machines is this a very precise apparatus.
Durability was the main reason for us to choose stainless steel and
brass as major materials for this padder.
Content of the liquor through approx 1200 cc.

Technical details:

2 rollers
350 mm roller width
110 mm roller diameter
electr. 380 V/50 Hz. 0.25 kW
pneumatic pressure 400 N/cm
roller speed 25 rpm/minute

Interested? Ask for a quotation.

ENGINEERING

Within our facility we have modern CNC machines on which we manufacture our own parts. The latest technical equipment ensures us of competitive production at the highest level.

Our design department is equipped with the latest version AUTOCAD software. Standard are all parts drawn in 3D.

The programming of our CNC machining centres is done with EDGE CAM software.

Don't hesitate to contact us for your special inquiries. We can supply parts that are often hard to obtain.



We are specialized in shipping our high quality parts all over the world. Our service will not stop after the goods left our warehouse, we offer a Door to Door service, world wide! A perfect packing is naturally essential. Our shipment will go by first class couriers like TNT, DHL, UPS or FedEx. And of course we do have good contacts with all major air freight and sea line companies.



All (parts)numbers mentioned in this brochure have no relation to any manufacture and are only for comparison.





Siga-nos nas redes



Fale com
a gente!



contato@tabatex.com.br

MATRIZ

Rua dos Antírios, 187
Cidade Jardim | Americana/SP
(19) 3475.7757

FILIAL

Rodovia Ivo Silveira, 1500
Bateas | Brusque/SC
(47) 3052.4721